



# **Integration Note**

Manufacturer:	Sky
Model Number(s):	Sky+ HD / Sky Q
g! Core Module Version:	g!8.2
Driver Developer:	Chowmain Software & Apps
Document Revision Date:	January 9, 2018

# **Overview & Supported Features**

Sky is a British satellite broadcast service provider. Chowmain has developed an IP based driver that provides control over UK based Sky set top boxes. This IP driver eliminates the need to attach infra red emitters to the set top box and is compatible with the Sky+ HD, Sky Q and Sky Q mini boxes. On top of IP control the driver also automatically imports channel artwork for every channel! This makes channel surfing with ELAN that much easier.



chowmain Ltd. | http://www.chowmainsoft.com





### Features

- Works with
  - o Sky+ HD
  - o Sky Q
  - o Sky Q Silver
  - o Sky Q Mini
- 3-10 times faster than IR control
- No more IR buds
- Automatic Channel import
  - Updated channel data every 24 hours
  - Always have upto date channels on your ELAN user interface. Never be effected by channel number changes or when Sky adds or removes a channel again.
  - Select your region and have all the Sky channels automatically import periodically for your area.
  - o Channel artwork for all channels

### Can you give us some examples of how we could use this driver?

- No more IR buds means no more IR bleeding and accidentally bud knocks.
- Speed up control over your customer's sky set top box.
- Never be effected by channel list updates every again.
- Channel surf via your ELAN user interface. See what is playing on each channel straight from the touchscreen and/or HR2 remote

### What hardware will this work on?

This will work on any ELAN controller running OS 8.1 or later and with the following sky boxes.

- Sky+ HD
- Sky Q
- Sky Q Silver
- Sky Q Mini







### Do you offer showroom discounts?

We offer dealers a free showroom licence for demonstration and educational purposes. See link below for T&C's and signup procedure.

Chowmain Dealer Showroom FAQ

#### I want to try this driver out before buying it?

All Chowmain drivers for ELAN come with a 7 day trial. This is activated once you add the driver to the project (internet required). No additional steps are necessary.

Any feature not specifically noted as supported should be assumed to be unsupported.







# Sky+HD / Sky Q Configuration

Please make sure that the Sky+HD or SkyQ box is set to a static IP address or has a DHCP reservation. Please also make sure that eco mode is switched off if you are using a Sky+ HD box.

https://skyepginfo.co.uk/HowToGuides/Standby-Modes.php

# g! Configuration

This driver will provide control and channel feedback for the Sky+HD and Sky Q devices on your network. The driver requires a valid licence for use. Licences can be purchased from Chowmain's distributor <u>driverCentral</u>. Customers can also trial the driver out for 7 days prior to licence purchase. Dealers who have showrooms can demonstrate the driver for free via the Chowmain Dealer Showroom Licence. You can apply for this licence via the <u>Chowmain website</u>. Please follow the steps below. If you encounter any issues please submit a ticket via the driverCentral website.

### **Installation Process**

Please follow the Sky+ HD / Sky Q Configuration steps above before proceeding with the g! Configuration steps below.

- 1. Download the latest version of the driver from our distributor driverCentral.
- 2. Extract the file to your preferred ELAN driver storage location.
- 3. In configurator click on the Media tab

Lighting	
Content	
Media	
Video	

4. Click on the arrow next to Sources Devices







5. Click on Add New Generic Media Source

🛨 🔹 Communication Devices	
🔠 🤮 Sources 💦 🎽	
🕂 🗖 Video Displays	Add New MP3 Player
E Zone Controllers	Add New Tuner
🕂 🚦 Interface Templates	Add New Video Server
Interface Groups	Add New Keypad Controller
	Add New Custom Source
	Add New Generic Media Source
	Add New IR Library Source
	Import Custom Source from File

- 6. Click on the Search Folder button
- 7. Select your driver folder and press ok









8. Select the Sky+HD / Sky Q driver.

Add New Generic Media Source		×
Name		
Device Type	🔲 Show Unsuppor	ted Devices
Name	Version Vendor	
Sky+ HD / Sky Q	1.0.0 Chowm	ain Softw
Search For Devices Search Folder	Cancel	ОК

9. Configurator will warn you that the driver is not provided or supported by Elan. Click on OK.

HLCONFIG	i	×
<u>^</u>	Note this driver is not provided or supported by Elan. Please Contact Vendor for support.	
	OK Cancel	







- 10. Highlight the Sky+ HD / Sky Q driver with the **I** symbol next to it.
- 11. The driver will advise you that you have 7 days to test the driver out. If you have purchased an activation key please type it in here then click on Apply and lastly Activate Licence.

Activation Key	
Activation Status	TRIAL - 48 HOURS REMAINING

12. Note that if you have typed in a valid activation key your status will change to ACTIVATED (you need to click off of the driver onto something else and back again to see the changes to the status).

	Activation Status	ACTIVATED
--	-------------------	-----------

13. Type in the IP address for the Sky+ HD or Sky Q Box.

14. Select your Region code from the drop down. This is used to get the channel data.

Region	London HD	-
Debug Mode	London HD	^
	London SD	
IP Address	London / Essex HD	
Port	London / Essex SD	
i on	London / Thames Valley HD	
	London / Thames Valley SD	
	London Kent HD	-1
	London Kent SD	
	Meridian East HD	
	Meridian East SD	- 1
	Meridian North HD	
	Meridian North SD	
	Meridian South HD	
	Meridian South SD	
	Meridian South East HD	
	Meridian South East SD	
	Merseyside HD	
	Merseyside SD	$\mathbf{v}$

15. Highlight the Sky+ HD / Sky Q driver with the 🗾 – symbol next to it.







16. If you want the Sky+ HD / Sky Q box to power on and off set Power Management Enable to Yes

Power Management Enable Yes

17. Click on Interface



- 18. Click on System Images
- 19. Click on Browse Image Folder
- 20. Upload Sky\_Logo.png to the system

File Transfer		×
Target System Directory	New Folder	Delete This Folder
/ELAN\APPLET\ICONS		Go
File Name	File Size	
1745 1886 3296 CHANNELS CONFIG DRIVERS MAIN MEDIA MISC WEATHER Sky_Logo.png	< DIRECTORY > < DIRECTORY > 55007 bytes	<< Upload To System Download From System >>
		Delete
Ready		
Ready		







21. Click on the Media tab



- 22. Expand on your Video Display or your Zone Controller
- 23. Click on the input you want to configure
- 24. Assign the Sky+ HD / Sky Q driver as the source device
- 25. Select the Sky\_Logo.png icon for the Display Icon
- 26. Name the source appropriately.

Media Source: Sky+ HD / Sky Q			
System #	1888		
Source Device	Interface: Sky+ HD / Sky Q		
Display Icon	Select Icon		
Source Volume	< DONT CHANGE >		
Display Name	Sky+ HD / Sky Q		

27. Congratulations you have successfully setup the Sky+ HD / Sky Q driver for ELAN







## g! CONFIGURATION DETAILS

The following table provides settings used in Configurator when connecting to Sky+HD / SkyQ devices. Please refer to the Configurator Reference Guide for more details.

Devices	Variable Name	Setting	Comments
Generic Media Device	Name	<user defined=""></user>	
(Sky+ HD / Sky Q)			
	System #	<auto detect=""></auto>	
	Driver Version	<auto detect=""></auto>	
	Driver Vendor	Chowmain Software & Apps	
	Device Ivpe	Sky+ HD / Sky Q	
	Activation Key	<pre>cliser Defined&gt; This is the driverCentral activation Key</pre>	See Note 1
	Activation Status	< Auto Detecto This provides the licence, status feedback	See Note 1
	Debug Mede	<pre></pre>	See Note 2
	Deblog Mode		
	Port	I INIS IS THE IP ADDRESS OF THE SKY+ HD / SKY Q BOX	
	Port	<auto detect=""></auto>	







### Notes:

- 1. The driver requires a valid licence for use. Licences can be purchased from the driverCentral website. All of the licences are site licences. This means that you can use as many instances of the driver as you want in a single system with the one licence. The driver also comes with a built in 7 day trial. The driver will provide feedback as to the state of the licence in the Activation Status field.
- 2. Debug Mode This is used for troubleshooting. By default it is set to off. print is used by technical support for live troubleshooting. log is used to output to the driver log. Print and log is used to provide technical support with live troubleshooting and log to driver log at the same time.
- 3. This is the region for the TV channels.
- 4. This is the IP address of the Sky+ HD / Sky Q box. Please make sure that the box is on a static ip address or DHCP reservation.







## **COMMON MISTAKES**

- 1. You have not assigned a static IP address or DHCP reservation
- 2. You have not disabled eco mode on Sky+ HD boxes.
- 3. You have not copied and pasted the correct region from Appendix 1

# **ELAN DEVELOPER PARTNER INFORMATION**

This ELAN driver was written and supported by:



http://www.chowmainsoft.com

